

SUPPLEMENT TO



The Gazette of India

सत्यमेव जयते

No. 25] NEW DELHI, SATURDAY, JULY 11, 1959/ASADHA 20, 1881

OFFICIAL PAPERS

Reported attacks and deaths from Cholera, Smallpox, Plague and Typhus in districts in India during the week ending the 13th June, 1959

	CHOLERA		SMALLPOX		PLAQUE			CHOLERA		SMALLPOX		PLAQUE	
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.
Andhra Pradesh													
Srikakulam	1						
East Godavari	11	7						
West Godavari	3	3						
Krishna	4	3						
Guntur	8	2						
Kurnool	1	1						
Anantapur	12	1						
Chittoor	1	1						
Warangal	1						
Hyderabad	5	2						
TOTAL	46	21						
Total for w/e 6-6-59	45	5						
Total for w/e 30-5-59	44	14						
Assam													
TOTAL						
Total for w/e 6-6-59	3	3						
Total for w/e 30-5-59	3	1						
Bihar													
"N. R."													
Bombay													
Greater Bombay	4	1						
Ahmedabad	3	3	—	..						
Panchmahals	.	67	2						
Sorath	2						
Ahmednagar	4	4						
East Khandesh	4						
Nasik	4						
Poona	1	2						
Satara North	1						
Satara South	1						
Sholapur	1						
TOTAL	.	67	2	25	10						
Total for w/e 6-6-59	226	35	48	9						
Total for w/e 30-5-59	319	64	39	6						
Delhi													
"N. R."													
Himachal Pradesh													
Mandi	2						
TOTAL	2						
Total for w/e 6-6-59						
Total for w/e 30-5-59						
Kerala													
"N. R."													
Madhya Pradesh													
"N. R."													
Madras													
Madras City						
Chingleput						
South Arcot						
Tiruchirappalli						
Madurai						
Salem						
Coimbatore						
The Nilgiris						
Kanya Kumari						
TOTAL						
Total for w/e 6-6-59						
Total for w/e 30-5-59						
Manipur													
Mysore													
Bangalore						
Kolar						
Mandy						
Mysore						
Shimoga						
Belgaum						
Bijapur						
Dharwar						
South Kanara						
TOTAL						
Total for w/e 6-6-59						
Total for w/e 30-5-59						
Orissa													
Puri						
Balasore						
Ganjam						
Koraput						
Sambalpur						
Dhenkanal						

Explanation of Symbols used:—C. = Cases ; D. = Deaths ; .. = Nil ; "N.R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 13th June 1959—contd.

	CHOLERA				SMALLPOX				PLAQUE				CHOLERA				SMALLPOX				
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	
ARREAR INFORMATION																					
Madhya Pradesh																					
Sundargarh	3	7	Ujjain	.	.	54	7
Keonjhar	133	22	Dhar	.	.	78	21
Bolangir	14	8	Indore	.	.	58	23
Khondmals	7	3	Dewas	.	.	5	1
Mayurbhanj	9	3	Rajgarh	.	.	108	40
Kalahandi	94	57	Mandsaur	10	3
TOTAL		5	2	347	122	Chhindwara	78	12
Total for w/e 6-6-59	348	125	Mandla	7
Total for w/e 30-5-59	13	6	248	129	Bilaspur	.	.	5	4	14	5
Pondicherry																					
Total for w/e 6-6-59	Raigarh	17	7
Total for w/e 30-5-59	6	1	TOTAL	.	.	308	96	126	27
Punjab																					
Hissar	2	Srikakulam	2
Rohtak	7	2	West Godavari	8	2
Ambala	1	Krishna	2
Ferozepur	1	1	Guntur	21	2
Patiala	1	Anantapur	9	1
Sangrur	1	Chittoor	2	
TOTAL	9	7	Hyderabad	1	
Total for w/e 6-6-59	7	5	TOTAL	45	5	
Total for w/e 30-5-59	6	4	Assam													
Rajasthan																					
"N.R."	Kamrup	5	2
Tripura									Nowrangpur	2
Total for w/e 6-6-59	1	1	TOTAL	7	2
Total for w/e 30-5-59	Assam													
Uttar Pradesh																					
Aligarh	10	7	Kamrup	3	1
Almora	11	4	Bihar												
Azamgarh	2	2	Monghyr	.	.	1	1
Bahraich	4	1	Darbhanga	3
Ballia	4	4	Purnea	4
Bara Banki	1	Ranchi	10	1
Bijnor	3	1	TOTAL	.	.	1	1	17	1
Dehra Dun	1	Mysore												
Deoria	4	1	Bangalore	1
Etawah	3	Chikmagalur	2
Farrukhabad	4	1	Kolar	2	2
Faizabad	1	3	Shimoga	2
Hardoi	2	Bellary	3
Kheri	1	Belgaum	5
Lucknow	2	Dharwar	13
Mathura	3	North Kanara	2	1
Mirzapur	2	South Kanara	18	3
Moradabad	1	TOTAL	45	9
Muzaffarnagar	1	1	West Bengal												
Nainital	17	8	Burdwan	21	6
Rampur	7	1	Birbhum	.	.	5	2	2	4
Saharanpur	4	1	Bankura	.	.	1	1	9	5
Sultanpur	4	Midnapur	1	2
TOTAL	92	35	Hooghly	.	.	12	4	3	2
Total for w/e 6-6-59	3	..	96	37	Howrah	.	.	70	20
Total for w/e 30-5-59	6	..	109	53	24-Parganas	.	.	44	9	6	3
West Bengal																					
"N.R."	Calcutta	.	.	129	49
Total for India (excluding Bihar, Delhi, Kerala, Madhya Pradesh, Rajasthan and West Bengal)	79	5	651	224	Nadia	5	1
Corresponding Total for w/e 6-6-59	230	36	651	199	West DinaJPur	3
Corresponding Total for w/e 30-5-59	338	70	543	235	Jalpaiguri	2
									Darjeeling	1	1
									Malda	1	3
									Purulia	27	10
									TOTAL	.	.	261	85	81	37

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 13th June, 1959—contd.

	CHOLERA SMALLPOX PLAGUE						—	CHOLERA SMALLPOX PLAGUE							
—	C.	D.	C.	D.	C.	D.	—	C.	D.	C.	D.	C.	D.		
ARREAR INFORMATION												Delhi			
Madhya Pradesh												<i>w/e 30-5-59</i>			
Rajgarh	.	.	26	6	Delhi City	14	1
Indore	.	.	52	21	New Delhi	3
Dewas	.	.	2	Delhi Civil Lines	4	1
Ujjain	.	.	30	8	West Delhi	2
Dhar	.	.	11	South Delhi	1
Chhindwara	31	2	..	TOTAL	24	2
Raigarh	49	3	..	Delhi							
TOTAL	.	.	121	35	80	5	..								
Delhi												<i>w/e 6-6-59</i>			
Delhi city	4	Delhi City	7
New Delhi	1	New Delhi	1
West Delhi	1	Delhi Shahdara	1
South Delhi	1	South Delhi	2
TOTAL	7	TOTAL	11

REMARKS

Epidemic incidences of smallpox were reported from the district of Keonjhar and Kalahandi of Orissa state.

—N.B. 100 Cases recorded per week per million of population is called epidemic incidence.

Explanation of Symbols used:—C—Cases; D.—Deaths; ..—N.R.; "N.R."—Information not received.

NEW DELHI-2 (INDIA); }
The 4th July, 1959. }

H. R. SHARMA,
for Registrar General, India.

N.B.—100 Cases recorded per week per million of population is called epidemic incidence.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- { • COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR
NATIONAL PLAN SAVINGS CERTIFICATES

Interest at 5.4% per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.

10-YEAR
TREASURY SAVINGS DEPOSIT CERTIFICATES

4 per cent interest paid annually. Available in multiples of Rs. 50/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.

POST OFFICE SAVINGS BANK ACCOUNTS

2½ per cent interest added on deposits upto Rs. 10,000/- and 2 per cent on balance upto Rs. 15,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Prices : Rs. 3,225/-, Rs. 6,650/-, Rs. 13,300/-, & Rs. 20,000/-

Refunded together with compound interest at 4.25 per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and or rules governing these investments please write to the National Savings Commissioner, Nagpur or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

DA - 58/231

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th June, 1959

Deaths from :-

Town	Mid-year Popn-Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Andhra Pradesh													
"N. R."													
Assam													
Gauhati . . .	60	28	24.3	8	1	5	1	29	25.1	4
Shillong†													
Dibrugarh													
Silchar . . .	62	29	24.3	1	4	12	10.1	3
TOTAL . . .	122	57	24.3	9	5	6	1	41	17.5	7
Bihar													
"N.R."													
Bombay													
"N.R."													
Delhi													
"N.R."													
Kerala													
"N.R."													
Madhya Pradesh													
"N.R."													
Madras													
Ambur . . .	48	30	32.5	1	1	..	7	7.6	3	
Arrupukottai	64	43	34.9	2	..	2	19	15.4	5	
Bodinayakunur	43	20	24.2	2	..	6	7.3	3	
Chidambaram . . .	44	17	20.1	2	11	13.0	1	
Coimbatore . . .	279	285	53.1	..	2	..	16	10	..	83	15.5	15	
Cuddalore . . .	77	49	33.1	3	..	10	6.8	2	
Dindigul . . .	103	57	28.8	1	1	2	13	6.6	5	
Erode . . .	79	69	45.4	1	1	2	10	6.6	4	
Gobichetipalayam . . .	51	19	19.4	1	7	7.1	1	
Gudiyattam . . .	60	41	35.5	5	4	..	17	14.7	6	
Kancheepuram . . .	94	96	53.1	1	3	..	28	15.5	2	
Karaikudi . . .	49	29	30.8	6	6.4	2	
Karur . . .	60	51	44.2	1	..	1	12	10.4	3	
Kumbakonam . . .	119	102	44.6	1	..	2	27	11.8	7	
Madras City . . .	2,110	1,166	28.7	..	1	..	65	83	15	581	14.3	161	
Madurai†													
Mayuram . . .	55	48	45.4	3	12	10.4	2	
Maliapalayam . . .	44	13	15.4	1	..	1	5	5.9	1	
Nagapattinam . . .	62	55	46.1	2	2	..	13	10.9	1	
Nagercoil . . .	113	58	26.7	5	..	6	17	7.8	3	
Ootacamund†													
Palni . . .	46	35	39.6	3	1	..	10	11.3	3	
Palayamkottai . . .	50	72	74.9	2	3	1	21	21.8	3	
Periyakulam . . .	36	35	50.6	3	7	19	27.4	2	
Pollachi . . .	63	52	42.9	2	2	1	21	107.3	2	
Pudukottai . . .	56	51	47.4	2	1	1	20	18.6	3	
Rajapalayam . . .	77	50	33.8	5	4	3	19	12.8	1	
Salem . . .	293	160	28.4	2	6	10	1	58	10.3	9
Sriangam . . .	48	15	16.2	1	..	5	5.4	1
Srivilliputtur . . .	46	31	35.0	4	1	..	16	18.1	3	
Tanjore . . .	138	45	17.0	2	1	15	5.7	2
Tiruchirappalli . . .	285	179	32.7	2	4	6	1	46	8.4	9
Tirunelveli . . .	86	50	30.2	2	..	2	17	10.3	2	
Tiruppur . . .	77	44	29.7	2	6	1	18	12.2	5
Tiruvannamalai . . .	48	31	33.6	2	1	2	..	10	10.8	2
Tuticorin . . .	124	97	40.7	1	2	11	..	35	14.7	8
Vaniyambadi . . .	46	30	33.9	1	3	8	9.0	6
Vellore . . .	147	117	41.4	1	3	7	..	48	17.0	16
Villapuram . . .	42	45	55.7	1	2	..	7	8.7	1
Virudhunagar . . .	59	49	40.5	2	1	4	3.5	2
TOTAL . . .	5,321	3,433	33.6	..	3	..	115	150	264	18	1,280	12.5	308

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimated may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :— B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths); ..=Nil Information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th June, 1959—contd.

Towns	Mid-year Popn. Est. (ooo)	Deaths from :—												
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Mysore														
Bangalore . . .	1,258	43	22.4	25	29	..	218	9.1	3	
Mysore . . .	364	169	24.1	14	3	6	54	7.7	3	
Gold Kolar Fields†														
Bellary . . .	85	25	15.2	5	22	13.4	3	
Davangere . . .	86	43	26.6	5	11	6.6	..	
Shimoga . . .	71	25	18.3	7	1	2	..	16	11.7	1
Bhadravati†														
Hospet . . .	54	36	20.2	2	10	9.6	1
Tumkur . . .	54	36	34.6	1	1	0.9	..
Kolar†														
Chitaldrug . . .	40	7	9.1	1	1	1.3	..
Hassan†														
Bidar†														
Gulbergat†														
Raichur†														
Bijapur†														
Belgaum . . .	114	36	16.4	5	1	..	15	6.8	1	
Dharwar . . .	87	41	24.2	3	11	6.5	..	
Bagalkot . . .	40	24	31.2	1	1	..	7	9.1	..
Mangalore . . .	159	109	35.6	..	1	3	6	4	..	50	16.3	5
Gadag Bettagere . . .	74	62	43.4	9	..	1	..	32	22.4	1
Hubli†														
TOTAL . . .	2,486	656	13.7	..	1	50	42	43	1	448	9.4	18
Orissa														
"N.R."														
Pondicherry . . .	68	77	58.8	3	6	4	4	25	19.0	11
Punjab														
Ambala . . .	63	35	29.0	6	3	1	..	16	13.2	2
Amritsar . . .	367	138	19.6	33	93	13.2	32
Batala . . .	68	21	16.1	4	..	4	..	15	11.5	5
Bhiwanit†														
Ferozepur . . .	48	20	21.7	2	1	7	7.6	1
Hoshiarpur . . .	56	26	24.2	2	1	1	..	11	10.2	2
Jullundur . . .	240	95	20.6	13	3	3	..	49	10.6	49
Karnal . . .	87	37	22.2	5	12	7.2	1
Ludhiana . . .	200	74	19.3	11	..	10	..	44	11.5	11
Moga . . .	46	22	24.9	4	..	1	..	9	10.2	..
Panipat . . .	75	22	15.3	6	9	6.3	..
Pathankot . . .	38	19	26.1	5	1	2	..	3	4.1	2
Rewari . . .	37	18	25.4	5	1	2	..	9	12.7	4
Rohtak†														
Simla . . .	54	32	30.9	5	4.8	..
Sonepat†														
Bhatinda . . .	47	19	21.1	7	..	1	..	10	11.1	1
Malerkotla . . .	36	23	33.3	5	10	14.5	..
Patiala . . .	129	46	18.6	9	36	14.6	10
TOTAL . . .	1,591	647	21.2	79	9	58	..	338	11.1	120

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimated may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate, I. D.—Infantile Deaths (Included in total deaths); .. = Nil Information; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 3,000 and over in India for the week ending the 13th June, 1959—contd.

Towns	Mid-year Popn. Est. (000)	Deaths from :-												Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total					
Rajasthan																
Ajmer	250	79	16.4	11	3	5	..	40	8.3	4			
Alwar†	67	10	8.0	1	..	2	..	16	12.8	8			
Bharatpur†	118	60	26.4	6	2	15	..	43	18.9	1			
Bikaner																
Churu†																
Ganganagar	65	3	2.4	3	1	9	7.2			4	
Jaipur	443	71	8.3	..	5	..	34	3	4	..	71	8.3	24			
Jodhpur †																
Kotah †																
Sikar†																
Tonk†																
Udaipur	125	13	5.4	1	..	2	0.8	..			
TOTAL	1,068	236	11.5	..	5	..	55	9	27	..	179	8.7	42			
Uttar Pradesh																
Agra	414	430	54.1	6	62	..	108	13.6					
Allahabad	381	170	23.3	..	1	..	1	18	..	51	7.0	12				
Amroha†																
Bahraich	40	30	31.9	..	1	..	4	..	1	10	1.6	2				
Banaras	426	266	32.5	33	3	18	..	142	17.4	32			
Banda†																
Bareilly	206	57	14.4	..	2	..	13	1	6	..	27	6.8	4			
Basti†																
Ballia†																
Bijnor	33	21	33.2	..	1	4	6.3	..				
Budaun	55	25	23.7	7	..	1	13	12.3	5				
Bulandshahr	45	5	5.8	1	2	2.3	1				
Chandausi	45	33	38.2	8	1	1	..	17	19.7	5			
Dehra Dun†																
Etawah	67	33	25.7	16	1	5	..	33	25.7	12			
Faizabad-Ayodhya	97	21	11.3	2	..	1	4	2.1	..				
Parukhabad-Fatehgarh	79	28	15.8	3	2	3	..	16	10.6	2			
Firozabad	95	23	12.6	3	1	2	..	9	4.9	1			
Ghazipur	36	16	23.2			
Ghaziabad†																
Gonda	36	9	13.0	1	1	2	..	5	7.2	..			
Gorakhpur	155	45	25.1	7	10	7	..	34	11.4	9			
Hapur †																
Hardwar	76	36	24.7	18	..	4	..	31	21.3	5			
Haldwani-Cum-Kathgodam†																
Hathras	66	25	19.7	4	1	4	..	12	9.5	1			
Jaunpur	60	20	17.4	3	..	1	..	7	6.1	..			
Jhanjharpur	135	43	16.6	14	..	2	..	21	8.1	8			
Kanpur	842	314	19.4	100	29	53	..	309	19.1	53			
Kaaganj†																
Khurja†																
Koi-Aligarh	171	48	14.6	12	3	1	..	27	8.2	6			
Lucknow	539	23	2.2	10	1	3	..	32	3.1	9			
Mathura	121	72	31.0	18	2	13	..	40	17.2	10			
Mau-Nath Bhanjan	40	21	27.4	3	1	8	10.4	1			
Meerut	203	96	24.6	7	2	13	..	32	8.2	7			
Mirzapur-Vindhya Chal	102	36	18.4	10	..	2	..	15	7.7	7			
Moradabad	166	77	24.2	8	2	8	..	49	15.4	3			
Muzaffarnagar	83	24	15.1	9	15	9.4	1			

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used.—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th June, 1959—*contd.*

Towns	Mid-year Popn. Est. (000)	Deaths from:											
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—Contd.													
Pilibhit†
Rampur†
Saharanpur	.	183	83	23·6	44	..	3	..	57	16·2
Sambhal†	5	..	1	..	9	8·7
Sitapur	.	54	27	26·1	1
Shahjahanpur†
Tanda†
Najibabad†
Hardoi	.	36	22	31·9	2	4	5·8
TOTAL	.	4,724	2,179	24·0	..	5	..	365	68	235	12	1,143	12·6
West Bengal													
“N.R.”													
ARREAR INFORMATION													
Andhra Pradesh													
w/e 6-6-59													
Adoni†	.	.	.	44	27	31·9	..	2	..	3	1	5	1
Anantpur	3	..	18	21·8
Anakapalli†	2	..	12	12·5
Bhimavaram	.	.	.	43	37	44·7	3	..	2	5
Chirala	.	.	.	50	23	23·9	5	..	1	2
Chittoor	.	.	.	51	34	34·7	13	13·3
Cuddapah	.	.	.	47	19	21·0	1	..	1	11·1
Ellore	.	.	.	112	41	19·0	2	..	7	13·0
Gudivada	.	.	.	41	42	53·3	..	1	..	4	..	5	21·6
Guntur	.	.	.	175	71	21·1	6	1	6	14
Guntakal	.	.	.	45	6	9·3	5	7·8
Kakinada†
Kurnool	.	.	.	76	37	25·3	5	1	3	3
Masulipatnam	.	.	.	98	48	25·5	4	3	2	9
Nandyal	.	.	.	41	23	29·2	1	..	1	11·4
Nellore	.	.	.	111	95	44·5	5	1	3	8
Proddatur	.	.	.	47	23	25·4	1	..	1	4
Rajahmundry	.	.	.	140	48	17·8	2	..	1	5
Tenali	.	.	.	78	60	40·0	2	1	2	4
Vijayawada†	.	.	.	155	101	33·8	12	3	9	10
Visakhapatnam	64	21·4
Vizianagaram	.	.	.	83	36	22·5	3	..	2	5
Hyderabad†
Warrangal†
Nizamabad	.	.	.	85	11	6·7	3	4
Kothagudem†	.	.	.	195	83	22·2	1	2	7	6
TOTAL	.	1,717	865	26·2	..	3	..	61	13	65	7	462	14·0
Bihar													
w/e 30-5-1959													
Arrah	.	.	.	75	8	10·1	1	1	..	2
Bettiah	.	.	.	41	14	5·4	1	..	4
Bhagalpur	.	.	.	136	14	5·4	9	32
Bihar	.	.	.	71	26	19·0	1	6
Chapra†	.	.	.	100	17	8·9	7	2	3	12
Darbhanga
Dhanbad	.	.	.	50	11	11·4	1	1	..	6
Dinapur	.	.	.	45	8	18·5	16	13	13	2
Gaya	.	.	.	163	58	18·5	16	13	13	74
Hazaribagh	.	.	.	44	15	17·7	8
Jamalpur	.	.	.	49	3	3·2	9·5
Jamshedpur	.	.	.	275	121	22·9	..	3	..	1	1	4	49
Katihar	.	.	.	63	1	0·8	0·8
Monghyr†
Muzaffarpur†
Patna	.	.	.	384	85	11·5	2	..	3	41
Ranchi	.	.	.	167	14	4·4	8	2	..	25
TOTAL	.	1,663	373	11·7	..	3	..	46	20	24	2	251	7·9

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases, M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information; “N.R.”=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th June, 1959—contd.

Towns	Mid-year Popn. Est. (000)	Deaths from :—													
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.		
Bombay															
				<i>w/e 30-5-59</i>											
Ahmedabad	1,001	514	26·7	29	..	78	..	287	14·9	88		
Ahmednagar	112	50	23·2	2	3	7	..	33	15·3	8		
Amalner	55	24	22·6	5	..	1	..	14	13·2	2		
Baroda	277	173	32·4	40	2	23	2	117	21·9	38		
Barsi	49	33	35·0	2	..	1	..	10	10·6	3		
Bhusawal†															
Broach	69	27	20·3	3	..	3	..	11	8·2	3		
Cambay	43	30	36·3	5	6·1	3		
Chalisgaon	39	26	34·6	8	..	1	..	11	14·6	6		
Dhulia	105	43	21·3	4	..	2	..	14	6·9	1		
Godhra	42	30	37·1	5	13	16·1	2		
Greater Bombay	4,671	1,858	20·7	..	3	63	113	..	75	8·4	218		
Jalgaon	91	17	9·8	6	17	9·8	2		
Kalyan	94	44	24·3	2	..	12	6·6	4		
Kolhapur	189	107	29·4	4	2	6	..	43	11·8	6		
Malegaon	77	67	45·2	26	1	3	1	34	23·0	9		
Miraj	48	28	30·3	1	2	1	..	30	32·5	3		
Nadiad	80	41	27·1	15	21	13·9	2		
Nandurbar	39	14	18·7	1	..	3	..	11	14·7	3		
Nasik	153	93	31·6	11	1	4	..	44	14·3	10		
Narsari	54	34	32·7	5	11	10·6	4		
Pandharpur	48	27	29·3	2	2	3	..	11	11·9	2		
Patna	50	40	41·6	3	1	10	..	23	23·9	4		
Poona	727	263	18·1	2	2	21	..	122	8·4	35		
Sangli	68	23	17·6	3	2	3	..	19	14·5	7		
Satara	43	19	23·0	3	2	15	18·1	4		
Sholapur	333	167	26·8	19	4	35	..	93	14·8	30		
Surat	279	144	26·8	33	3	8	..	111	20·7	34		
Thana†	177	45	13·2	6	2	10	..	56	14·4	16		
Dhoraji	49	24	25·5	4	1	6	6·4	3		
Jamnagar†	67	36	27·9	8	2	..	1	31	24·0	10		
Morvi	44	13	15·4	2	6	7·2	1		
Porbander	69	63	47·5	..	2	..	9	2	2	..	23	17·3	7		
Gondal	43	25	30·2	10	..	2	..	12	14·5	..		
Rajkot	219	117	27·8	14	3	3	1	52	12·3	14		
Veraval†	53	27	26·5	7	..	3	..	8	7·8	2		
Surendranagar															
Nagpur	624	222	18·5	..	4	..	89	21	52	2	377	31·4	137		
Achalpur†	121	92	39·5	28	3	4	..	53	22·8	16		
Chanda	46	40	45·2	4	..	5	..	17	19·2	4		
Gondia†	37	16	22·5	5	14	19·7	5		
Hinganghat															
Khamgaon	48	24	26·1	5	..	1	..	10	10·8	4		
Wardha	53	8	7·8	8	..	2	..	12	11·8	4		
Yeotmal	46	27	30·5	7	1	15	17·0	3		
Kamptee†	116	90	40·3	15	5	7	1	58	26·0	6		
Amravati	83	8	5·0	5	..	12	7·5	1		
Aurangebad															
Latur	47	9	10·0	1	..	1	1·2	..		
Nanded	98	16	8·5	1	9	4·8	..		
Parbhani†															
Jalna	84	18	11·1	2	1·2	..		
TOTAL	11,008	4,856	22·9	..	9	..	454	130	425	9	2,658	12·6	764		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Diseases and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th June, 1959—contd.

Deaths from:—

Towns	Mid-year popn. Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R. *	I.D.
Kerala													
					<i>w/e 23-5-59</i>								
Alleppey	198	21	5·5	2	0·5	..
Changanacherry	45	29	33·5	1	4	4·6	..
Kottayam	56	13	12·1	2	1·8	..
Ernakulam	79	4	3·0	5	3·3	2
Mattancherry	97	15	8·0	1	1	6	3·2	1
Quilon	84	93	57·6	1	6	3·7	1
Trichur	80	7	4·3	1	2	1·3	..
Trivandrum	256	32	6·5	1	3	1	..	16	3·3	1
Kozhikode	192	148	40·1	5	12	5	1	87	23·6	1
Palghat	84	36	22·3	1	4	..	12	7·4	1
Cannanore	50	21	21·8	2	1	8	8·3	..
Tellicherry	43	45	54·4	2	2	..	13	15·7	3
Cochin	33	35	55·2	3	4·8	..
TOTAL	1,298	499	19·9	9	22	12	2	166	6·7	30
Kerala													
					<i>w/e 30-5-59</i>								
Alleppey	198
Changanacherry	45	11	12·7	1	4	4·6	1
Kottayam	56	9	8·4	3	4	3·7	..
Ernakulam	79	8	5·3	1	1	..	12	7·9	..
Mattancherry	97	11	5·9	1	5	2·7	..
Quilon	84	95	58·8	1	1	..	8	5·0	3
Trichur	81	5	3·2	1	..	5	3·2	1
Trivandrum	256	11	2·2	1	1	..	5	1·1	2
Kozhikode	192	155	42·0	7	5	7	..	78	21·1	30
Palghat	84	98	60·7	2	1	14	3	66	40·9	15
Cannanore	50	23	23·9	1	..	15	15·6	3
Tellicherry	43	44	53·2	2	..	12	14·5	5
Cochin	33	25	29·4	7	11·0	2
TOTAL	1,298	495	19·8	10	12	28	4	221	8·9	62
Kerala													
					<i>w/e 6-6-59</i>								
Alleppey †	45	28	32·4	1	..	9	10·4	..
Changanacherry	56	12	11·1	4	3·7	..
Kottayam
Ernakulam	79	3	2·1	1	0·7	..
Mattancherry †	84	27	16·7	1	1	..	6	3·7	..
Trichur	81	6	3·9	1	..	2	1·3	..
Trivandrum	256	4	0·8	1	2	..	6	1·2	1
Kozhikode	192	166	45·0	9	4	8	..	74	20·0	..
Palghat	84	65	40·2	1	3	1	..	10	6·2	2
Cannanore	50	22	22·9	1	2	..	13	13·5	2
Tellicherry	43	47	56·8	1	3	..	22	26·6	6
Cochin	33	47	74·1	1	..	5	7·9	1
TOTAL	1,298	427	18·5	10	11	21	..	152	6·6	12
Madhya Pradesh													
					<i>w/e 30-5-59</i>								
Bilaspur	87	54	32·2	24	..	2	..	48	28·6	..
Burhanpur	48	21	22·7	1	10	10·8	..
Damoh
Jabalpur	277	140	26·2	11	1	7	2	49	11·0	38
Khandwa	66	26	20·4	9	..	3	..	20	15·7	..
Raipur
Murwara †	33	11	17·0	..	1	..	1	9	14·1	7

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (Included in total deaths); ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th June, 1959—*concl'd.*

Deaths from :-

Towns	Mid-year Popn. Est. (⁰⁰⁰)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.†	I.D.
Madhya Pradesh—contd.													
Raigarh	41	3	9·8	..	2	..	1	3	3·8	..
Itarsi†													
Greater Gwalior	304	42	7·1	2	1	3	2	17	2·9	..
Indore	447	153	18·0	19	2	32	..	87	10·2	25
Ratlam†													
Ujjain†													
Bhopal city†													
Mandsaur	50	8	8·3	3	..	5	5·2	2
TOTAL	1,317	458	17·6	..	3	..	68	4	50	4	258	9·9	72
Madhya Pradesh													
<i>w/e 6-6-59</i>													
Bilaspur	56	12	11·1	4	12	11·1	6
Burhanpur	87	40	23·9	14	..	1	..	26	15·5	..
Damoh	48	15	16·2	3	5	5·4	..
Jabalpur	277	172	32·2	6	2	2	..	17	3·1	7
Khandwa	66	7	5·5	2	..	1	..	6	4·7	..
Raipur†													
Marwarat†													
Sagar†													
Chhindwara	33	21	33·0	..	4	..	1	1	1	..	20	31·5	11
Raigarh	41	4	5·0	..	1	..	3	1	1	..	8	7·6	..
Itarsi	39	9	12·0	1	2	13	17·3	..
Greater Gwalior	304	35	5·9	3	..	12	2·0	..
Indore	441	157	18·5	7	..	23	2	55	6·4	19
Ratlam†													
Ujjain†													
Bhopal city	132	55	21·6	1	..	4	..	25	9·8	..
Mandsaur†													
TOTAL	1,524	527	17·9	..	5	..	42	6	35	2	197	6·7	43

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 13th June, 1959 relate to 108 towns from the States of Assam, Madras, Mysore, Pondicherry, Punjab, Rajasthan and Uttar Pradesh with a population of 15,380 thousands out of a total population of 48,772 thousands

in 324 towns of the country. The number of births and deaths recorded in these towns were 72,85 and 3,454 registering birth and death rates of 24.6 and 11.7 per Thousand of population respectively.

The following table gives the registered rates for different States :—

States	Current w/e 13-6-1959		Corresponding w/e last year	
	B.R.	D.R.	B.R.	D.R.
Assam	24.3	17.5	9.2	7.7
Madras	33.6	12.5	39.3	16.5
Mysore	13.7	9.4	24.0	9.5
Pondicherry	48.8	19.0	47.4	21.4
Punjab	21.2	11.1	36.5	12.4
Rajasthan	11.5	8.7	8.2	8.8
Uttar Pradesh	24.0	12.6	†	
India	24.6	11.7	32.0	13.5

†Figures not available.

— NEW DELHI-2 (INDIA); }
The 6th July, 1959. }

H. R. SHARMA,

for Registrar General, India.

